

ECOsoft[®]


COMMERCIAL CARPET



Colour may vary from batch to batch.

ECOsoft[®]

100% NYLON




Gravity
2400
S E R I E S



Gravity 2403

ENVIRONMENT



Gravity 2402 / Gravity 2403




Gravity 2402



Gravity 2404




Gravity 2401 / Gravity 2404



Gravity 2407














Style name	Gravity 2400
Construct	Multi-Level Loop
Gauge	1/12
Material	100% Nylon 6
Pile Weight	560g/m²
Pile Height	3/4/5mm
Packing	5sqm
Back	Cushion backing(PVC Free)
The Size	50cm×50cm



Test Performance

Volatile Organic Compound (voc)	:Pass ASTM D7706-11
Semi Volatile Organic Compound (SVOC)	:Pass ASTM D7706-11
Formaldehyde Emission	:Pass NIOSH method 2016
Flammability	:Pass GB 8624-2006 Pass GB/T 14768-93
Smoke Density	:Pass ASTM-E-662 < =450 DMC Pass GB 8624-2006
Static Generation	:Pass AATCC-134 Pass GB/T 18044-2000
Color fastness to water	:Pass AATCC-16E Pass Grade 4/5 ISO 105-X12 Pass BS EN ISO105 E01:1996
Color fastness to light	:Pass AATCC-16E Pass Grade 5 ISO-B02:1994E Pass BS EN ISO105 B02:1999
Colorfastness to Crocking	:Pass BS EN ISO 105-X12:2002
Tensile strength test	:Pass ISO13934-1 Warp 3112.9

- 
Ultraviolet resistance
- 
Antistatic
- 
Reduced flammability
- 
Wear resistance
- 
100% B.C.F Yarn
- 
Dimensional stability
- 
Anti-slip
- 
Passed Various Tests
- 
Comfortable



ISO 9001 : 2008



ISO 14001 : 2004

