



# HILL


**Product Name:** HILL 15100  
**Construction:** Multi-Level Loop  
**Material:** 100% Nylon 6  
**Color System:** 100% Solution Dyed  
**Machine Gauge:** 1 / 12"  
**Pile Weight:** 620 g / m<sup>2</sup>  
**Pile Height:** 3.0 - 5.5 mm  
**Tile Size:** 25 × 100 cm  
**Backing Structure:** PVC with fiberglass



**Volatile Organic Compound(voc):** Pass ASTM D7706-11  
**Semi Volatile Organic Compound(svoc):** Pass ASTM D7706-11  
**Formaldehyde Emission:** Pass NIOSH method 2016  
**Flammability:** Pass GB 8624-2012  
 Pass GB/T 14768-93  
**Smoke Density:** Pass ASTM-E-662 < =450 DMC  
 Pass GB/T 8624-2012  
**Static Generation:** Pass AATCC-134  
 Pass GB/T 18044-2000  
**Antimicrobial:** Pass AATCC TM 174  
**Color Fastness To Water:** Pass AATCC-16E  
 Pass Grade 4/5 ISO 105-X12  
**Color Fastness To Light:** Pass AATCC-16E  
 Pass Grade 5 ISO-B02:1994E  
**Color Fastness To Crocking:** Pass AATCC-165  
**Tensile Strength Test:** Pass ISO13934-1  
 Warp 3112.9



Ashlar



Herringbone



Ultraviolet resistance



Anti-Static



Reduced flammability



Wear resistance



Environmental



Long life-span



Dimensional stability




Anti-slip



Passed Various Tests

- This carpet is manufactured and sold for floorcovering use only.
- As with all carpets, colors are subject to dye lot variations.
- Specifications are subject to nominal manufacturing variances Material supply and/or manufacturing processes may necessitate specification changes without notice.

For more information welcome to browse our website: [www.carpettile.com.cn](http://www.carpettile.com.cn)



RSG<sup>®</sup>  
CONTRACT  
**HILL**









**RSG**<sup>®</sup>  
CONTRACT







15104

# HILL

**Product Name:** Hill 15100  
**Construction:** Multi-level Loop  
**Material:** 100% Nylon 6  
**Color System:** 100% Solution Dyed  
**Machine Gauge:** 1 / 12 "  
**Pile Weight:** 620 g/m<sup>2</sup>  
**Pile Height:** 3.0 - 5.5 mm  
**Tile Size:** 25 x 100 cm  
**Backing Structure:** PVC with fiberglass



Ashlar



Herringbone

**Volatile Organic Compound(voc):** Pass ASTM D7706-11  
**Semi Volatile Organic Compound(svoc):** Pass ASTM D7706-11  
**Formaldehyde Emission:** Pass NIOSH method 2016  
**Flammability:** Pass GB 8624-2012  
 Pass GB/T 14768-93  
**Smoke Density:** Pass ASTM-E-662 < =450 DMC  
 Pass GB/T 8624-2012  
**Static Generation:** Pass AATCC-134  
 Pass GB/T 18044-2000  
**Antimicrobial:** Pass AATCC TM 174  
**Color Fastness To Water:** Pass AATCC-16E  
 Pass Grade 4/5 ISO 105-X12  
**Color Fastness To Light:** Pass AATCC-16E  
 Pass Grade 5 ISO-B02:1994E  
**Color Fastness To Crocking:** Pass AATCC-165  
**Tensile Strength Test:** Pass ISO13934-1  
 Warp 3112.9

## DID YOU KNOW?


RSG Contract Modular using only premium Nylon 6 or Nylon 6,6. This features being enhanced with DGENESIS™ soil protection.

### Why Opt for Nylon?


- Strength and Elasticity
- Resistant to Mold, Mildew and Sun Damage
- Spill and Stain Resistant
- Easy Cleaning

### ECOGEN™ Backing

Standard for all RS Global modular product designs.  
100% Recyclable.




- Nylon yarn tufted into a PES (Polyester) primary backing.
- Precoat (DGENESIS)
- PVC backing
- Fiberglass scrim
- EcoGen Backing



15101 15102 15103 15104 15105 15106 15107 15108

# GiveBack™

RSG works hand-in-hand with our respected client by refurbishing their current interior with new products while we collect the unwanted carpets. The unwanted carpets will be put through a filter and cleaning process, and the cleaned carpets will then be contributed back to the society, for example, underprivileged children's home, old folks home, and other charitable organizations.



How does GiveBack™ program benefit? Disposed carpet most likely end up in landfills or incineration plants in most countries where recycling plant for carpet is unavailable. GiveBack™ program helps in reducing the waste going to landfills and incineration plants thus helps in preserving the environment and reduces carbon footprint.

## PAVE THE WAY FOR A SUSTAINABLE FUTURE

RSG Contract engaged in sustainability as we design and manufacture floor globally. Deeply embedded in our vision, we incorporated eco-design into each step of its production process and meets the requirements of various environmental labels. It is to develop innovative flooring solutions for better living spaces. With that in mind, we **hope to create something valuable for our customers and enhance their wellbeing**, whilst respecting the environment.



### CRI Green Label Plus

Green Label Plus is an independent testing program that identifies carpet, adhesives, and cushion with very low emissions of VOCs to help improve indoor air quality. It is an outgrowth of, and enhancement to the CRI Green Label Testing program.

### SIRIM Eco-Label

The SIRIM Eco-Labeling Scheme is a National testing program of Malaysia that identifies any products with low emissions of VOCs and formaldehyde to help improve indoor air quality. This program is tested under SIRIM QAS International, which is a member of the **Global Ecolabelling Network (GEN)**. GEN is a non-profit international association of third-party, environmental performance labelling organizations. SIRIM QAS International membership in GEN attests to the credibility of SIRIM Eco-labeling Scheme and puts it at par with the eco-labelling schemes of other member countries.



### KATRI Eco-Label

KATRI known as Korea Apparel Testing & Research Institute provides consumer products testing and inspection service to major manufacturers and retailers. While KATRI Eco-Label is a program that identifies products with low emissions of VOCs

### CE Marking

The letters **CE** appear on many products traded on the extended Single Market in the European Economic Area (EEA). They signify that products sold in the EEA have been assessed to meet high safety, health, and environmental protection requirements. CE marking also supports fair competition by holding all companies accountable to the same rules. By affixing the CE marking to a product, a manufacturer declares that the product meets all the legal requirements for CE marking and can be sold throughout the EEA. This also applies to products made in other countries that are sold in the EEA.

