



RSG<sup>®</sup>  
CONTRACT  
—  
**RYE**














15201

15202

15203

15204




15205


15206

15207

15208



Ashlar



Herringbone




# RYE

<b>Product Name</b>	: RYE 15200
<b>Construction</b>	: Multi-level loop+Tip-shearling
<b>Yarn / Fiber</b>	: 100% Nylon 6
<b>Color System</b>	: 100% Solution Dyed
<b>Machine Gauge</b>	: 1 / 10 "
<b>Pile Weight</b>	: 770 g/m <sup>2</sup>
<b>Pile Height</b>	: 3.0 ~ 6.0 mm
<b>Size Description</b>	: 25 x 100 cm
<b>Backing Structure</b>	: EcoGen™ Bac

## Generic Tests

<b>Dynamic Loading</b> Pass ISO 2094 Pass AS/NZS 2111.2	<b>Green Carpet(VOC)</b> Pass ISO 10580 Pass ASTM D7706-11
<b>Static Loading</b> Pass ISO 015/3415 Pass AS/NZS 2111.13	<b>Green Carpet (Formaldehyde)</b> Pass NIOSH Method 2016
<b>Thermal Resistance</b> Pass ASTM C518 R	<b>Static Generation</b> Pass AATCC 134



## EcoGen™ BAC

A minimum of **35% overall recycled** content.


Standard for all RSG Contact Modular product designs. And we only use **Hexamoll DINCH** as plasticizers.

## Performance Specifications

<b>Stability - Delaminating</b> Pass ISO 2551 Pass AS/NZS 2111.16 Pass ASTM D3936	<b>Colour Fastness - Light</b> Pass AS 2001 Pass ISO 105-B02 Pass AATCC 16E
<b>Stability - Dimensional</b> Pass ISO 2551 Pass ISO/PAS 17984	<b>Colour Fastness - Rubbing and Crocking</b> Pass ISO 105-X12 Pass AS/NZS 2111.19.1 Pass AATCC 16S
<b>Stability - Tuft Bind</b> Pass ASTM D1335 Pass ISO 4919 Pass AS/NZS 2111.15	<b>Colour Fastness - Water</b> Pass AS 2001.4.21 Pass ISO 105-E01 Pass AATCC 107
<b>Flammability - Methanamine Pill</b> Pass BS 6307 Pass ISO 6925	<b>Wear - Castor Chair</b> Pass BS-EN 985 Pass ISO 4918
<b>Flammability - Radiant Panel</b> Pass ISO 9239-1 Pass ASTM E648	<b>Wear - Vetterman Drum</b> Pass BS ISO 10361
<b>Flammability - Smoke Density</b> Pass ISO 9239-1 Pass ASTM E662	<b>Sound Absorption</b> Pass ISO 354
<b>Antistatic</b> Pass BS ISO 6356 Pass AATCC 134	<b>Impact Sound</b> Pass ISO 10140-3
	<b>Antimicrobial Treatment</b> Pass ASTM E2471 Pass AATCC 174 Pass AATCC 171

## Hexamoll DINCH

- Ideal solution for **non-phthalate** plasticizers.
- Especially designed for applications with **close human contacts**.
- Used extensively for **medical, food contact & toys** application.



## PAVE THE WAY FOR A SUSTAINABLE FUTURE

**R**SG Contract engaged in sustainability as we design and manufacture floor globally. Deeply embedded in our vision, we incorporated eco-design into each step of its production process and meets the requirements of various environmental labels. It is to develop innovative flooring solutions for better living spaces. With that in mind, we **hope to create something valuable for our customers and enhance their wellbeing**, whilst respecting the environment.



### CRI Green Label Plus

Green Label Plus is an independent testing program that identifies carpet, adhesives, and cushion with very low emissions of VOCs to help improve indoor air quality. It is an outgrowth of, and enhancement to the CRI Green Label Testing program.

### SIRIM Eco-Label

The SIRIM Eco-Labeling Scheme is a National testing program of Malaysia that identifies any products with low emissions of VOCs and formaldehyde to help improve indoor air quality. This program is tested under SIRIM QAS International, which is a member of the Global Ecolabelling Network (GEN). GEN is a non-profit international association of third-party, environmental performance labelling organizations. SIRIM QAS International's membership in GEN attests to the credibility of SIRIM Eco-labelling Scheme and puts it at par with the eco-labelling schemes of other member countries.



### KATRI Eco-Label

KATRI known as Korea Apparel Testing & Research Institute provides consumer products testing and inspection service to major manufacturers and retailers. While KATRI Eco-Label is a program that identifies products with low emissions of VOCs.

### CE Marking

The letters 'CE' appear on many products traded on the extended Single Market in the European Economic Area (EEA). They signify that products sold in the EEA have been assessed to meet high safety, health, and environmental protection requirements. CE marking also supports fair competition by holding all companies accountable to the same rules. By affixing the CE marking to a product, a manufacturer declares that the product meets all the legal requirements for CE marking and can be sold throughout the EEA. This also applies to products made in other countries that are sold in the EEA.

