



RSG
CONTRACT

OVERLAP



Every **OVERLAP** is not an end
but a beginning.



To Provide You
With A Healthy And Green
Environment





15901+07



15901+02+03



15901+06+07+08



15901+04


OVERLAP




15901




15902




15903




15904



15905



15906



15907



15908


Product Name : Overlap 15900
Construction : Multi-Level loop
Material : 100% Nylon 6
Color System : 100% Solution Dyed
Machine Gauge : 1 / 12 "
Pile Height : 2.8 - 5.0 mm
Tile Size : 50 x 50 cm
Soil/Stain Protection : RSG Protection
Backing Structure : EcoGen®

Generic Tests

Dynamic Loading
 Pass ISO 2094
 Pass AS/NZS 2111.2
Static Loading
 Pass ISO 015/3415
 Pass AS/NZS 2111.13
Thermal Resistance
 Pass ASTM C518 R
Green Carpet (VOC)
 Pass ISO 10580
 Pass ASTM D7706-11
Green Carpet (Formaldehyde)
 Pass NIOSH Method 2016
Static Generation
 Pass AATCC 134

Performance Specifications

Stability - Delaminating
 Pass ISO 2551
 Pass AS/NZS 2111.16
 Pass ASTM D3936
Stability - Dimensional
 Pass ISO 2551
 Pass ISO/PAS 17984
Stability - Tuft Bind
 Pass ASTM D1335
 Pass ISO 4919
 Pass AS/NZS 2111.15
Flammability - Methanamine Pill
 Pass BS 6307
 Pass ISO 6925
Flammability - Radiant Panel
 Pass ISO 9239-1
 Pass ASTM E648
Flammability - Smoke Density
 Pass ISO 9239-1
 Pass ASTM E662
Antistatic
 Pass BS ISO 6356
 Pass AATCC 134
Colour Fastness - Light
 Pass AS 2001
 Pass ISO 105-B02
 Pass AATCC 16E
Colour Fastness - Rubbing and Crocking
 Pass ISO 105-X12
 Pass AS/NZS 2111.19.1
 Pass AATCC 165
Colour Fastness - Water
 Pass AS 2001.4.21
 Pass ISO 105-E01
 Pass AATCC 107
Wear - Castor Chair
 Pass BS-EN 985
 Pass ISO 4918
Wear - Vetterman Drum
 Pass BS ISO 10361
Sound Absorption
 Pass ISO 354
Impact Sound
 Pass ISO 10140-3
Antimicrobial Treatment
 Pass ASTM E2471
 Pass AATCC 174
 Pass AATCC 171



EcoGen® BAC

A minimum of 35% overall recycled content.
 Standard for all RSG Contact Modular product designs. And we only use Hexamoll DINCH as plasticizers.

Hexamoll DINCH

- Ideal solution for non-phthalate plasticizers.
- Especially designed for applications with close human contacts.
- Used extensively for medical, food contact & toys application.

