




RSG[®]
CONTRACT

NEVERLAND



Send me out on the waters
Spread my wings and learn to fly
Make me heaven's finest daughter
Write my name across the sky
And all the stars will dance around us
Our hearts will beat as one
Won't you fly me to the sun

You will be forever young



86805A, 86805B, 86805C & 86809A







86804A , 86804B & 86809C




86804A & 86804B





86807C & 86809A



NEVERLAND


Product Name : Neverland 86800
Construction : Multi-level Loop
Yarn / Fiber : 100% Imported Nylon 6
Color System : 100% Solution Dyed
Machine Gauge : 1 / 10 "
Pile Weight : 800 g/m²
Pile Height : 4.0 ~ 6.5 mm
Size Description : 25 x 100 cm
Backing Structure : CP-PVC with fiberglass

Generic Tests

Dynamic Loading Pass ISO 2094 Pass AS/NZS 2111.2	Green Carpet(VOC) Pass ISO 10580 Pass ASTM D7706-11
Static Loading Pass ISO 015/3415 Pass AS/NZS 2111.13	Green Carpet (Formaldehyde) Pass NIOSH Method 2016
Thermal Resistance Pass ASTM C518 R	Static Generation Pass AATCC 134

Performance Specifications

Stability - Delaminating Pass ISO 2551 Pass AS/NZS 2111.16 Pass ASTM D3936	Colour Fastness - Light Pass AS 2001 Pass ISO 105-B02 Pass AATCC 16E
Stability - Dimensional Pass ISO 2551 Pass ISO/PAS 17984	Colour Fastness - Rubbing and Crocking Pass ISO 105-X12 Pass AS/NZS 2111.19.1 Pass AATCC 165
Stability - Tuft Bind Pass ASTM D1335 Pass ISO 4919 Pass AS/NZS 2111.15	Colour Fastness - Water Pass AS 2001.4.21 Pass ISO 105-E01 Pass AATCC 107
Flammability - Methanamine Pill Pass BS 6307 Pass ISO 6925	Wear - Castor Chair Pass BS-EN 985 Pass ISO 4918
Flammability - Radiant Panel Pass ISO 9239-1 Pass ASTM E648	Wear - Vetterman Drum Pass BS ISO 10361
Flammability - Smoke Density Pass ISO 9239-1 Pass ASTM E662	Sound Absorption Pass ISO 354
Antistatic Pass BS ISO 6356 Pass AATCC 134	Impact Sound Pass ISO 10140-3
	Antimicrobial Treatment Pass ASTM E2471 Pass AATCC 174 Pass AATCC 171



EcoGen™ BAC

A minimum of 35% overall recycled content.

Standard for all RSG Contact Modular product designs. And we only use Hexamoll DINCH as plasticizers.



Hexamoll DINCH

- Ideal solution for non-phthalate plasticizers.
- Especially designed for applications with close human contacts.
- Used extensively for medical, food contact & toys application.

